MISSISSIPPI STATE DEPARTMENT OF HEALTH
BUREAU OF PUBLIC WATER SUPPLY 2013 JUN -6 AM 9: 2!

CCR CERTIFICATION FORM
CALENDAR YEAR 2012

MORIH Lee COUNT WHITER ASSOCIATION
Public Water Supply Name

410001, 410024, 4100 35, 4100 40, 410041, 410042, 410043

List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make ourse you follow the proper procedures when distributing the CCR. Since this is the first year. customers upon request. Make sure you follow the proper procedures when distributing the CCR. Since this is the first year of electronic delivery, we request you mail or fax a hard copy of the CCR and Certification Form to MSDH. Please

	teuse that apply.
X	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper (attach copy of advertisement)  On water bills (attach copy of bill)  Email message (MUST Email the message to the address below)  Other
	Date(s) customers were informed: 6/4/ 2.013/ / , / /
	CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used
	Date Mailed/Distributed://
	CCR was distributed by Email (MUST Email MSDH a copy)  As a URL (Provide URL  As an attachment  As text within the body of the email message
X	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: DAILY JOURNAL TO THE TOTAL OCA OF Proof of Publication)
	Name of Newspaper: DAILY YOURNAL TOPELO, MS.  Date Published: 4/4/2013
	CCR was posted in public places. (Attach list of locations)  Date Posted:
	CCR was posted on a publicly accessible internet site at the following address (DIRECT URL REQUIRED):
I here public the SI the was Depar	Ely certify that the 2012 Consumer Confidence Report (CCR) has been distributed to the customers of this c water system in the form and manner identified above and that I used distribution methods allowed by DWA. I further certify that the information included in this CCR is true and correct and is consistent with rement of Health, Bureau of Public Water Supply.  Title (President, Mayor, Owner, etc.)
alinan	at and at the m

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be faxed to: (601)576-7800

May be emailed to: Melanie. Yanklowski@msdh. state. ms. us

2013 JUN -6 AM 9: 21

2012 Annual Drinking Water Quality Report
North Lee County Water Association
PWS#: 410001, 410024, 410025, 410035, 410040, 410041, 410042, 410043
April 2013

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to providing you with information because informed customers are our best allies. Our water source is from wells drawing from the Eutaw, Lower Eutaw, Eutaw-McShan and Gordo Formation Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the North Lee Water Association have received lower to moderate rankings in terms of susceptibility to contamination.

If you have any questions about this report or concerning your water utility, please contact Ricky Durham at 662.706.4123. We want our valued customers to be informed about their water utility. If you want to learn more, please join us at any of our regularly scheduled meetings. They are held on the first Tuesday of the month at 7:00 PM at the Birmingham Ridge Fire Department located at 947 CR 1948, Saltillo, MS. This report will not be mailed out to each individual customer but you may pick up a copy in the office.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2012. In cases where monitoring wasn't required in 2012, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards.

### Monitoring Violations:

In January 2012 our system # 410001 pulled 1 sample that tested positive for total coliform. Also in August 2012 our system # 410025 pulled 12 samples that tested positive. All resample were clear. All corrective actions were taken and system was returned to compliance. Also on system #410025, we received a monitoring violation for chlorine for not taking the proper number of samples in May & June of 2012.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risks from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Crytosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

## \*\*\*\*\*April 1, 2013 MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING\*\*\*\*\*

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 – December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rule. If you have any questions, please contact Karen Walters, Director of Compliance & Enforcement, Bureau of Public Water Supply, at 601.576.7518.

The North Lee County Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Your CCR will not be mailed to you; however you may obtain a copy by calling (662) 869-1223.

PWS ID				TEST RESU	JLTS				
Contaminant	Violation Y/N	Date Collecte	Level Detected	Range of Detects of # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination	
Microbio	logical C	Contami	nants						
Total Coliforn Bacteria	n N	January	Positive	1	NA	0	bac	ce of coliform Naturally present in the environment thly samples	
Inorganic	Contan	ninants							
10. Barium	N	2011*	.09	.0609	ppm	2	2	discharge from metal refineries:	
14. Copper	N	2009/11*	.3	0	ppm	1.3	AL=1.3	erosion of natural deposits  Corrosion of household plumbin systems; erosion of natural deposits; leaching from wood preservatives	
6. Fluoride	N	2011*	.12	No Range	ppm	4	4		
17. Lead	N	2009/11*	1	0	ppb	0	AL=15		
0. Nitrite (as litrogen)	N	2011*	.03	No Range	ppm	1	1		
Disinfectio									
Chlorine	N :	2012 .	8 .3	60 – 1.4 mg/l		0 MR		ater additive used to control icrobes	
PWS ID #	410024 Violation	Date Collected	Level Detected	TEST RESU Range of Detects or # of Samples	LTS Unit Measure	MCLG	MCL	Likely Source of Contamination	
	C			Exceeding MCL/ACL/MRDL	-ment				
norganic  D. Barium			<del>y</del>						
. Patiuiti	N	2012	.12	.0712	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits	
Chromium	1 17 1	2012	.7	.67	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits	
	- 1	0000		<u></u>				- The man de position	
Chromium     Copper     Lead	N	2009/11*	.5	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	

**Disinfection By-Products** 

N

2012

.20 -- 1.6

mg/l

0

MRDL = 4

Water additive used to control microbes

Chlorine

PWS II	) # 41002	25		TEST RE	SULTS				
Contaminant	Violat Y/N		Level Detected	Range of Detect # of Sample Exceeding MCL/ACL/MR	ts or Unit s Measure -ment	MCLG	MCL.	Likely Source	of Contamination
Microbi	iological	Contamin	ants						
1. Total Colife Bacteria		June August	Monitoring	12	NA	0	ba	nce of coliform cteria in 5% of onthly samples	Naturally present in the environmer
Inorgan	ic Conta	minants						y samples	
8. Arsenic	N	2012	.6	No Range	ppb	n/a	10	from orchards	ural deposits; runo ; runoff from glass s production waste
10. Barium	N	2012	.419	ppm 2 2 Disch disch		Discharge of condischarge from	rilling wastes; n metal refineries:		
13. Chromium		2012	1	.08 - 1	ppb	100	100	erosion of natural deposits  Discharge from steel and pulp mills; erosion of natural deposits  Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	
14. Copper	N	2009/11*	.2	0	ppm	1.3	AL=1.3		
7. Lead		additive teeth; c		additive which	of natural deposits; water which promotes strong ischarge from fertilizer				
7. Leau	N	2009/11*	1	0	dqq	0	AL=15		usehold plumbing
Disinfect	tion By-P	roducts						•	
hlorine	Y Monitoring	2012 .9	0	1.4 r	ng/l	0 MRD	L = 4   Wa	ter additive use	d to control

PWS ID #	410035			TEST RESU	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants			•			
10. Barium 14. Copper	N N	2011*	.16	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
		2009/11*	.3	0	ppm	1.3	AL=1.3	Corrosion of household plumbin systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2009/11*	2	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
20. Nitrite (as Nitrogen)	N	2011*	.03	No Range	ppm	1	1	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits

Disinfectio	n By	-Produc	ts					
82. TTHM [Total trihalomethanes]	N	2011*	2.85	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2012	.9	.5 – 1.2	mg/l	0	MRDL = 4	Water additive used to control microbes

PWS ID #			· · · · · · · · · · · · · · · · · · ·	TEST RES				
Contamiliant	Violation Y/N	Date Collected	Level Detected	Range of Detects of # of Samples Exceeding MCL/ACL/MRDL	Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants						
10. Barium  14. Copper	N	2011*	.17	No Range	ppm	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
17. Lead		2011*	.4	0	ppm	1.3	AL=1	
22. Thallium	N	2011*	2	0	ppb	0	AL=1	5 Corrosion of household plumbin systems, erosion of natural deposits
zz. manium	N	2011*	.5	No Range	ppb	0.5 2		Leaching from ore-processing sites; discharge from electronics glass, and drug factories
Disinfectio	n By-Pr	oducts						
2. TTHM Total rihalomethanes]	N 2	011* 2.	71 No	Range ppt		0	80	By-product of drinking water chlorination.
Chlorine	N 2	012 .9	.6	1.2 mg.		0 MR		Water additive used to control microbes

Contaminant	Violation	D.4-	· T · · · · ·	TEST RE				
Contaminant	Y/N	Date Collected	Level Detected	Range of Detects # of Samples Exceeding MCL/ACL/MRD	Measure -ment	MCLG	МС	L Likely Source of Contamination
Inorganic	Contam	inants						
14. Copper	N	2012	.4	0	ppm	1.5	B AL≃	1.3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
(), Lead	l N	2012	1	0	ppb	C	AL=	
Disinfectio	n By-Pr	oducts						
32, TTHM Total rihalomethanes]	N 2	012 2	.51 No	Range p	ppb	0	80	By-product of drinking water chlorination.
hlorine	N 2	012 1	.6	- 1.4 n	ng/l	0 MF	RDL = 4	Water additive used to control

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects o		MCLG	MCL	Likely Source of Contamination
				Exceeding MCL/ACL/MRDL	-ment			
Inorganic	Contam	inants					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
10. Barium	N	2012	.13	11 - 13	Tanm			
13. Chromium					ppm	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
	N N	2012	2.6	.9 – 2.6	ppb	100	10	
14. Copper	N	2012	.3	0	ppm 1.3 AL=		AL=1.	3 Corrosion of household plumbin systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2012	.10	No Range	ppm	4		4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Disinfectio	on By-Pr	oducts						
Chlorine	N 2	012 1	.8	-1.1 mg/		0 MRD		Water additive used to control microbes

PWS ID#	410043			TEST RESI	ULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects o # of Samples Exceeding MCL/ACL/MRDL		MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants						
10. Barium  13. Chromium	N	2012	.28	No Range	ppm	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
	N	2012	.8	No Range	ppb	100	10	
14. Copper	N	2012	.6	0	ppm	1.3	AL≂1.	3 Corrosion of household plumbin systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2012	.158	No Range	ppm	4		4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2012	1	0	ppb	0	AL=1	
Disinfectio	n By-Pr	oducts						
82. TTHM Total :rihalomethanes]	N 2	012 2	82 No	Range ppb		0	80	By-product of drinking water chlorination.
Chlorine	N 2	012 1	.7	- 1.2 mg/		0 MRE		Water additive used to control microbes

<sup>\*</sup> Most recent sample. No sample required for 2012.

Microbiological Contaminants:

(1) Total Coliform. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.

### Northeast Mississippi Daily Journal

2013 JUN -6 AM 9: 21

05/31/13

1242 S. Green Street P.O. Box 909 **Tupelo, MS 38804** 

Classified (662) 842-2622

Fax: (662) 620-8301

Email: classifieds@journalinc.com

Name:

JIM BANKER

Run dates:

06/04/13 to 06/04/13

Company:

NORTH LEE WATER ASSN.

Class:

1401

Address:

ATTN: JIM BANKER

Ad ID:

843877

1004 BIRMINGHAM RIDGE RD

Ad Taker: Sales Person: **JSH** 

Account ID:

SALTILLO, MS 38866 2224

C07

Account #:

2224

Inserts:

Telephone:

(662) 869-1223 (662) 869-1794 Words:

2793 184

Fax: E-mail:

nlcwa@att.net

Lines: Columns:

6

Publications:

**Daily Journal** 

Depth (Inches): 18.75

Payments: Method

Dublication

Card Type

Name on Card Last 4 Digits Expire Date

Check Number

Amount Paid

Net Cost:

\$338.16

Paid Amount:

Amount Due: \$338.16

Publication	Sta	rt Sto	р	Inserts	Cost		
Daily Journal	06/04/13	06/04/13	1	\$338.16			
						•	

Ad Notes

# Northeast Mississippi Daily

2013 JUN -6 AM 9: 21

LEGAL NOTICE

1012 ANNUAL DEFINING VALUE QUALTY REPORT

FROM A FLORE LIBRAL SHEET AND ALL THE CONTROL OF THE CO

para CR accident to	da Wajter A Lenas fottaen e osartesi fo	معدد محدد	evel pile issa	u melako a gepaj liyar	atting 1967)	44-17	23	
PWS IO # 41000 Pelaneron		dale coecter	Level Deserted	Francis of Leters 1 d Scores Ecceptual Ecceptual	Delt of Second med	nui.	EST RESULT	art, issue at contrability
Hicrophological Lata: Cultour Selecto		Anta.	Strap-Princ			ŏ	Desence of Description months of	special in the hands present to the constitution of the constituti
ngrigatist Cânta V 64 talia. I 462-jus 6 Tarrelse	7160 O. 1	2011 7004/111 2011	7	Out of the state o	Para Naa Nak	ń.		
7 72.34	···	70037114 70114		Ne sprige	t-pun t-pun	- /-	2015	GUESTAGE OF ACTION INVESTIGATION OF GUESTAGE GUESTAGE AND ACTION OF ACTION O
Missie og Alegganj Historicalism Dyd Historicalism	Products			30-1.1		L	19804-1	Waa aldis akalis (Principle)
Diskafection Dyi Juniti 145 (tr = 4160) actornalisti		( ate ( allerted	Loved Ledested	Cargo of Historia e of Sample: Escheding HIT/ACC/HISTI	Unit of Heasure meal			Silver Sugar of Cartamanian
	iminarus 1	2012 2012	- <u>}</u> -	92.37	.pr. .012. .pr.	100	100/ At 1.3	Discharge of Africa motive, distillings from basis remainer, province around designs. Gooden of from that and four field, retained of a from systems. Constant of the Second principal basis, a remaining an experiment of the same from the state of the second of the seco
i Corder i, Cooli disintection by		1889111			(4.6)		7:1-1-2	TOTAL CONTRACTOR OF THE PARTY O
145 10 a 4100		( (m2)	i i mening i di	20:34 II	United The			renter sentrham v 556 for a select instructure. 18 Titother sentre un thistogrammarkus.
See this		esterio	parent	Chiese of Peacits  a or Camples  Encaching  DCF/ACCHIESE	पाली खे भरउड्याद गल्डा			and the second s
Microbiological Post Calment Servers	Contacti	lane Angus	purisonnal	٠,٠	IIA	[ 67]	presente Bacteria exembly	Paraterii findinisto finita a m Sissert I the procession of the paraterial of the pa
Inorganik Conta 7 Avsab 16. Barani	Detra hita	2017 2017 2017 2053:11*	ilis J	110 Himpe 50 419 03 1	pon pro- prin	100 100	16	Emission of Industry adoptions in Limit the American for all their more indirect filliancy in which the standard background of a major where the american formation of the american filliance of the ame
io, Ranger In, Grigorius In Copper Io, Chronia			146	110 143	tabilit.		Ά(ξ.) Σ.	Continue), aktivistident join jäängi kastovis, sijäänää on asina depissättä karkiiny siinin vassa ohtavasia on Keesta on katura erijäänä, osatta jääkänni siinen juu kuun siinentiinettii. Join kanni kainin keistävä on oli oli karkiinin kaiteksi.
() Less Distribution Dy- Original	Products	21/09/11		I	1164	1.3	1.61-15	Congress in months of particular and the second sec
(Shares	Tarabatan .	7/67	9		nid:	[ 6		water additive interface to sortion or other
MVS FO # 4100 Castameter)	1771	factor Confection	(level (lettering	Range of bused) a talkamen a Exercises market contest	thin of fication ment	70176	BC3.	TS Garly Strate of Confunction of the
inorganic Conti	a mina hts	2011	1.136.1.1	file Punise		1.2.		Dashbarre of dividing what is idealizate false entered to have in moving of historia defenses.
te tanàn 14. Cogen 15 tost 20 limberts 1500000		770.5.11	+	1	Dire (1940)	4-4	AU 15.	Computer, of Language I pointing Austria, elegant of partials desired.
rê limite tes Hatopeni		7611	37/	ag fri-ngi	l/tes.)			belief industriated as the mercal formation and the second
	Printivets	2011	> 65	կդ Իրոյս	psh	10	30	Bergerstein is etcoming sustan abbreviation
a) Maint (eta) nd sociationer.) Ottorise	7.7.	350	1	1	745	1 0	1 - 1/1/21	Issues addition used to control manages
PWS ID # 4100	930 P. S.	Unit Celebrate o	page 1	Finge of Orlects  Fig. Samples  Financially  Financially	Heast of Heast re-	THE PROPERTY	TEST RES	दिवस्य इस्तारः प्रश्नायनाम् व
Indiganic Cont	aminonia	i	J					FERRENCE OF SECURE STOCK DESCRIBING THE TOTAL PARTIES. SPECIAL OF MARKET SPECIAL
Indroanic Cont 10 Errori 11. Capper 17. COS	1 11	7911		Ho lumpe	parts parts	ŢŔ	- M 13	(Depring) (2) diding nation (decline) first term (AAA/II), version (dated Spies) (2) proposed (particular princing) produce receive of mental deplate to selling from the first term (by the content of t
		3611.	1-3	Tite Resege	1950 1950 1950	+ 75	1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	Tel-good team on organization, specificate high secretary filters rend excess.
Plantection By 42, then has a topological	Products	1.3000	3.253	li há hinge	i tigu	1.30	1 30	By arisinal of minung will be observation
Charanet Character	1	7917	1	8:08:	897	10	THUNG 4	Water actable (1914) to consist accretions
Containennt	Vietation	Light Collected	Level Letectra	Range of Detects First Samples Excreding FIGURAL STREET	Unit of Septute	Hetr	YEST RES	Trace grants of Cardinalization
inerganis Cont 11 Cappel 17 (183) Distrinction by 32 (Thir capa) transversibles	alukusula	1 5017 1918		6	rein.	Ţ,	At 1.3	Councility of Instantible principal controls, countries of instant original, in a front interligion with the control of investment popularly seemed, properly a March 1980/18.
Distribution by	Products	2915	221	No itanze	140		1 86	the product of developing models observation
Chineses PWS ID # 4100 Cartimodelist	043			1 6 15	1991.	7.000	TEST RESU	Total residence used in contest transfers TTS TTRICE Source of Cold with which there
	<u> </u>	raid celector	tracted	Compt of Difference of the Compton of the Control o	Heaven Heaven			
Inot gants Cont to Large 17. Chambleto	Laminapis	7917	1 42	11:13	19100	1.3.	196	they have of disting owners, decreases from metal relations; one control method decreases
17 Chambleso 14 September 16 General	1	2012 2014 2017	7.5	0 2 4 0 Ht Banur	Sept.	100		Filled the property of the part of the property of the propert
Distribution Di	y Producti II	1012		6-11	1994			wide station used to control in recess
PWS TO A 410 Combeniated	*	1	Deterred	Range as believes a de Samples a section re-transfer Nation	tina / stante ment		4 Mg	The Section of Charles Section
Inorganis Con lo faith L1 chromai 14 Copy	i antinanti	1 3617	- 37	Fig. Rings	i ppro	16	1100	The thought driving could, thinking their with the fact, we get a colour by the fact the fact that t
11. Clue umai.	1 1	101		Ho Tange V Dis Kangi	No.	ij	MATE.	German di muumuu jimuli o yyteme, omista oi missa teemit, 'e kiing tion ooki piestiseltes. Lossas di mitralilijas ily vatta arbises elektromistes (turn) teeta. Lossas di mitralilijas ily vatta arbises elektromistes (turn) teeta.
In Pagent								
15 Feeting 17 Lead Countries C	100	2012	dex	1	199	0	I Als 15	विद्यांत्रकान् भारत् वेद्याचित्र, आर्थ संस्थापनाय वेद रेजांच्य १ दुरस्यताचा और प्राप्तकृतिक प्रितास्थ्य प्रकार हुन्य हुन्य कर्म कर क्षेत्रका वेद्याच्या अस्ति ।   विद्यापनाचा व्यागामिक्त प्रकार प्रोप्यकातास्य

Plant entry agreem, the segment registers for 2012, and the proceed on the segment of side in word or an assistance that other, pull box sections of side in word or an assistance that other, pull box sections of the word or actions of proceeding proceeding.

John 4, 2013.